MedStar Health
National Center for
Human Factors in Healthcare

# A Memory-Based Approach to Reducing Medication Errors

**Project Final Report**

**June 26th, 2023**

**Principal Investigator:**
Sadaf Kazi, PhD

**Team Members:**
Raj Ratwani, PhD
Ella Franklin, MSN, RN
Deanna-Nicole Busog

**Organization:**
MedStar Health National Center for Human Factors in Healthcare, MedStar

## Structured Abstract

Purpose: To investigate the contribution of prospective memory (PM) demands on medication administration errors (MAEs) in inpatient medical/surgical units

Scope: Ai

Conclusions and Implications:

- The medication administration workflow in inpatient settings is complex and encompasses a variety of PM tasks. PM failure is likely to have adverse patient safety implications because of heightened risk of medication administration errors.
- PM tasks can be anticipated during medication planning; however, several PM tasks also arise dynamically depending on changes to the patient's condition or because of changing nurse or unit workflow priorities.
- Although PM tasks that arise during planning are amenable to being encoded as reminders on the EHR and nursing paper tools ("nurse brains"), there is a need to develop tools to improve support for PM tasks that arise dynamically.

## PM-based Medication Errors in Anticoagulation Therapy through EHR data

Descriptive statistics were used to summarize the data (see Table 2).

Table 2: Descriptive Statistics of INR values >3.5

| Metric Name | Range | Mean | Median | Standard Deviation |
|---|---|---|---|---|
| INR ȣ.5* | 3.6 - 12.6 | 5.0 | 4.4 | 1.7 |
| INR >3.5 & previous measure >24 hours* | 24.1 - 400.6 | 50.0 | 25.6 | 65.0 |

* Exact values greater t

In t

i) Unit name

d) Which units outside of medical/surgical do you have experience in?

e) Which EHRs do you have experience in?

Planning medication administration (medication-related considerations, e.g., allergies, special supplies like IV tubing, including (1) receiving handoff report; and (2) planning medications that you are responsible for during the shift)

1. Can you describe your workflow during the planning stage, focusing on information you need, when receiving handoff report:
    - D from the previous nurse on an existing patient in the unit? *(e.g. when patient last received pain med, when to evaluate med effectiveness/side effects or need for additional med, allergies?)*
    - *E* on a new admission or transfer from another unit? *(e.g. if the patient takes a home med, if home med is stored at bedside or in Pyxis?)*
2. What medication-related tasks or to-dos do you generally receive from the previous nurse during handoff/a new admission/transfer? *(e.g. remember to crush med if patient has difficulty swallowing)*
    a. Do you record these tasks? Where?
    b. What information do you record about these tasks?
3. What medication-related tasks or to-dos do you generally create for yourself when you are receiving handoff/a new admission/transfer?
    a. Do you record these tasks? Where?
    b. What information do you record about these tasks?
4. What tasks get added during the shift? (HJ *new orders, new patients, covering for colleagues*)
    a. Do you record these tasks? Where?
    b. What information do you record about these tasks?
5. Can you describe a medication-related situation for which you have to wait for additional information from the previous nurse or from another source at the beginning of your shift?
    - D When do you receive information to be able to complete making your to-do or complete your task?
6. Reflecting on your workflow at the planning stage:
    a. What are medication-related tasks that you are unable to perform immediately but must remember to do at a later point?
    b. What are medication-related tasks that you must remember to perform at a specific time of the day (*e.g. 9 am and 9 pm for medications that are given twice a day)?*
    c. What are medication-related tasks that you must remember to perform at regular intervals (*e.g. monitoring a patient's fluid intake and output every or hours to check patient's response to some medications*)?
    d. What are medication-related tasks that you must remember to perform after a specific amount of time has passed (*e.g. evaluating the effectiveness of pain medication hour after administration*)?
    e. What are medication-related tasks that you must remember to perform after receiving some information (*e.g. after the attending physician makes rounds*)?
    f. What are medication-related tasks that you must remember to perform before performing a task (HJ *checking pre-meal blood sugars*)?
    g. What are medication-related tasks that you must remember to perform after performing a task (*e.g., administering sliding scale insulin*)?